

PARA LIGHT ELECTRONICS CO., LTD.

4F, No.1, Lane 93, Chien Yi Road, Chung Ho City, Taipei, Taiwan. Tel: 886-2-2225-3733 E-mail: para@para.com.tw

Fax: 886-2-2225-4800 http://www.para.com.tw

> Release by PARA LIGHT DCC



PART NO.: L-7647HURT-D2

REV: <u>A/1</u>

CUSTOMER'S APPROVAL :

DCC :

DRAWING NO. : DS-37-04-0121

DATE: 2007-03-09



L-7647HURT-D2

REV:A/1

PACKAGE DIMENSIONS

Release by PARA LIGHT DCC

ITEM	MATERIALS
RESIN	Epoxy Resin
LEAD FRAME	Sn Plating iron Alloy

-H−H**-**► ⊡ ➡ 0 4.40(.173) 5.50(0.217)7.60(.299) 5.70(.224) NOTE SEE 23.50(.925)min 0.50(.020)Cathode 1.00(.039)min. 2.54(.100)

Note:

- 1.All Dimensions are in millimeters.
- 2.Tolerance is ±0.25mm(0.010 ") Unless otherwise specified.
- 3.Protruded resin under flange is 1.5mm(0.059 ") max.
- 4.Lead spacing is measured where the leads emerge from the package.
- 5.Specification are subject to change without notice
- 6.The lamps have sharp and hard points that may injure human eyes or fingers etc., so please pay enough care in the handling.

DRAWING NO. : DS-37-04-0121

DATE: 2007-03-09



L-7647HURT-D2

REV:A/1

Release by

PARA LIGHT DCC

FEATURES

- * 5.5*4.0 mm DIA ELLIPSE LED LAMP
- * HIGH LUMINOUS INTENSITY OUTPUT.
- * LOW POWER CONSUMPTION.
- * HIGH EFFICIENCY.
- * VERSATILE MOUNTING ON P.C. BOARD OR PANEL.
- * I.C. COMPATIBLE.
- * Pb FREE PRODUCTS

CHIP MATERIALS

- * Dice Material : GaAlInP/GaAs
- * Light Color : ULTRA RED
- * Lens Color : RED TRANSPARENT

ABSOLUTE MAXIMUM RATING : (Ta = 25°C)


SYMBOL	PARAMETER	ULTRA RED	UNIT
PD	Power Dissipation Per Chip	85	mW
VR	Reverse Voltage Per Chip	5	V
laf	Continuous Forward Current Per Chip	30	mA
lpf	Peak Forward Current Per Chip (Duty-0.1,1KHz)	160	mA
_	Derating Linear From 25°C Per Chip	0.40	mA/°C
Topr	Operating Temperature Range	-40°C t	o 85°C
Tstg	Storage Temperature Range	-40°C t	o 85°C

ELECTRO-OPTICAL CHARACTERISTICS : (Ta = 25°C)

-		I	/			
SYMBOL	PARAMETER	TEST CONDITION	MIN.	TYP.	MAX.	UNIT
VF	Forward Voltage	IF = 20mA		2.0	2.8	V
IR	Reverse Current	VR = 5V			100	μA
λD	Dominant Wavelength	IF = 20mA		633		nm
Δλ	Spectral Line Half-Width	IF = 20mA		20		nm
201/2	Half Intensity Angle	IF = 20mA		40/80		deg
١v	Luminous Intensity	IF = 20mA		500		mcd

DRAWING NO. : DS-37-04-0121

DATE : 2007-03-09





L-7647HURT-D2

REV:A/1

Release by

PARA LIGHT DCC

Label Explanation

	光	鼎	电子	子彤	定分	入才	自限公司	
	PA	RA L	IGHT	ELI	ECTI	ROI	NICS CO.,LTI	Э.
PARA	NO.	•						
LOT	NO.	• •					INSPECT	ED
BIN		•						
Q'	TY	•		F	PCS	3		
N.W		•			g			
PARA NO.:	Refer	to n13						
LOT NO. :		L		7	00	09		
<u> </u>	A B	С	D	E	F	-		
AE: For se								
AE: For set BL: Local CL: LAMP DYear EMonth FSPEC.								
BL: Local CL: LAMP DYear EMonth FSPEC. BIN : Bin Cod	F: Fo	oreign					7	
BL: Local CL: LAMP DYear EMonth FSPEC. BIN : Bin Cod Luminous Int	F: Fo	oreign	nit:m			A]	
BL: Local CL: LAMP DYear EMonth FSPEC. BIN : Bin Cod	F: Fc	oreign (IV), U Min	nit:m	M	lax	A		
BL: Local CL: LAMP DYear EMonth FSPEC. BIN : Bin Cod Luminous Int	F: Fc	oreign (IV), U	nit:m	M		A		
BL: Local CL: LAMP DYear EMonth FSPEC. BIN : Bin Code Luminous Int Bin Code Q R	F: Fc	(IV), U Vin 222 10.8	nit:m	M 31 43	lax 0.8 5.1	A		
BL: Local CL: LAMP DYear EMonth FSPEC. BIN : Bin Code Luminous Int Bin Code Q R S	F: Fc	(IV), U Vin 222 10.8 35.1	nit:m	M 31 43 60	lax 0.8 5.1 9.1	A		
BL: Local CL: LAMP DYear EMonth FSPEC. BIN : Bin Code Luminous Int Bin Code Q R	F: Fc	(IV), U Vin 222 10.8	nit:m	M 31 43 60 85	lax 0.8 5.1			

N'W : Net Weight

DRAWING NO. : DS-37-04-0121

DATE : 2007-03-09




L-7647HURT-D2

REV:A/1

•SOLDERING

Release by

•SOLDERING	5	Tereve of
METHOD	SOLDERING CONDITIONS	REMARK
DIP SOLDERING	Bath temperature: 260℃ Immersion time: with 5 sec, 1 time	 Solder no closer than 3mm from the base of the package Using soldering flux," RESIN FLUX" is recommended. Attached data of temperatuare cure for your reference
SOLDERING IRON	Soldering iron: 30W or smaller Temperature at tip of iron: 260℃ or lowe Soldering time: within 5 sec.	transferred directly to the lead, hold the lead with a pair of tweezers while soldering
-		package is fixed with a panel (See Fig.1),
be careful not	t to stress the leads with iron tip.	
	Panel (Fig. 1)	1 wries
2) When solderi	ng wire to the lead, work with a Fig (See	Fig.2) to avoid stressing the package.
Leave a cle	slight arance	(Fig. 2)
copper and slive	on in the tinning oven for product-tinning r is proposed with the temperature of Ce s tin 95.5: copper 3.5: silver 0.5 by perce	•
		$E \cdot 2007.03.00$ $Page \cdot 6$




- 4) Repositioning after soldering should be avoided as much as possible. If inevitable, be sure to preserve the soldering conditions with irons stated above: select a best-suited method that assures the least stress to the LED.
- Lead cutting after soldering should be performed only after the LED temperature has returned to normal temperature.

• STORAGE

- 1) The LEDs should be stored at 30° C or less and 70% RH or less after being shipped from PARA and the storage life limits are 3 months .
- 2) PARA LED lead frames are comprised of a stannum plated iron alloy. The silver surface may be affected by environments which contain corrosive gases and so on. Please avoid conditions which may cause the LEDs to corrode, tarnish or discolor. This corrosion or discoloration may cause difficulty during soldering operations. It is recommended that the LEDs be used as soon as possible.

Please avoid rapid transitions in ambient temperature, especially, in high humidity environments where condensation can occur.

DATE : 2007-03-09



shape of the holes should be made oval. (See Fig.4)


3) When mounting the LED by using a case, as shown Fig.4, ensure that the mounting holds on the PC board match the pitch of the leads correctly-tolerance of dimensions of the respective components including the LED should be taken into account especially when designing the case, PC board, etc. to prevent pitch misalignment between the leads and board holes, the

diameter of the board holes should be slightly larger than the size of the lead. Alternatively, the

LAMP

REV:Ay/ 1 PARA LIGHT DCC

LED



Use LEDs with stand-off (Fig.5) or the tube or spacer made of resin (Fig.6) to position the LEDs.





Fig.5

DRAWING NO. : DS-37-04-0121



DATE: 2007-03-09




L-7647HURT-D2


REV:A 1 PARA LIGHT DCC

•FORMED LEAD

1) The lead should be bent at a point located at least 2mm away from the package. Bending should be performed with base fixed means of a jig or pliers (Fig.7)




- 2) Forming lead should be carried our prior to soldering and never during or after soldering.
- Form the lead to ensure alignment between the leads and the hole on board, so that stress against the LED is prevented. (Fig.8)



•LEAD STRENGTH

1) Bend strength

Do not bend the lead more than twice. (Fig.9)



DRAWING NO. : DS-37-04-0121

DATE: 2007-03-09



L-7647HURT-D2

REV:A/1

Tensile strength (@Room Temperature)
 If the force is 1kg or less, there will be no problem. (Fig.10)

Release by PARA LIGHT DCC



HEAT GENERATION

 Thermal design of the end product is of paramount importance. Please consider the heat generation of the LED when making the system design. The coefficient of temperature increase per input electric power is affected by the thermal resistance of the circuit board and density of LED placement on the board, as well as other components. It is necessary to avoid intense heat generation and operate within the maximum ratings given in this specification.

The operating current should be decided after considering the ambient maximum temperature of LEDs.

•CHEMICAL RESISTANCE

- 1) Avoid exposure to chemicals as it may attack the LED surface and cause discoloration.
- 2) When washing is required, refer to the following table for the proper chemical to be sued. (Immersion time: within 3 minutes at room temperature.)

SOLVENT	ADAPTABILITY		
Freon TE	\odot		
Chlorothene	\times		
Isopropyl Alcohol	\odot		
Thinner	\times		
Acetone	\times		
Trichloroethylene	\times		
\odot Usable \times Do not use.			

NOTE: Influences of ultrasonic cleaning of the LED resin body differ depending on such factors as the oscillator output, size of the PC board and the way in which the LED is mounted. Therefore, ultrasonic cleaning should only be performed after confirming there is no problem by conducting a test under practical.

DRAWING NO. : DS-37-04-0121

DATE: 2007-03-09



L-7647HURT-D2

PARA LIGHT DC

•OTHERS

- 1) Care must be taken to ensure that the reverse voltage will not exceed the absolute maximum rating when using the LEDs with matrix drive.
- 2) Flashing lights have been known to cause discomfort in people; you can prevent this by taking precautions during use. Also, people should be cautious when using equipment that has had LEDs incorporated into it.
- 3) The LEDs described in this brochure are intended to be used for ordinary electronic equipment (such as office equipment, communications equipment, measurement instruments and household appliances). Consult PARA's sales staff in advance for information on the applications in which exceptional quality and reliability are required, particularly when the failure or malfunction of the LEDs may directly jeopardize life or health (such as for airplanes, aerospace, submersible repeaters, nuclear reactor control systems, automobiles, traffic control equipment, life support systems and safety devices).
- 4) User shall not reverse engineer by disassembling or analysis of the LEDs without having prior written consent from PARA. When defective LEDs are found, the User shall inform PARA directly before disassembling or analysis.
- 5) The formal specifications must be exchanged and signed by both parties before large volume purchase begins.
- 6) The appearance and specifications of the product may be modified for improvement without notice.

