







1. SCHEMATICS.



2. WINDING SEQUENCE.



CUSTOMER: RCS 烏克蘭		APPROVED BY: 
PART NO. UT20-03 (E03-17203336-02)	ISSUE: A	CHECKED BY: 
DATE: 2005.12.14.		DRAWN BY: 
 		TEL: (02)2673-2512~6 FAX: 886-2-26710294 886-2-26736329
力英電子股份有限公司 LI TONE ELECTRONICS CO., LTD. 台北縣三峽鎮介壽路1段311巷29號 NO. 29, LANE 311, JIE SOU RD., SEC 1. SANHSIA TOWN TAIPEI HSIEN, TAIWAN R. O. C.		






3.MATERIAL LIST.

NO/ITEM	MATERIAL	MAKER
3-1.CORE	UT-20 FERRITE CORE. HG103.	HI-TECH ELECTRONIC CO.,LTD.
3-2.BOBBIN	UT-20 V. TYPE W / 4 PINS PHENOLIC / PBT-4115. U-2002.	CHANG CHUN PLASTICS CO.,LTD. UL NO.E59481(S). UTT ELECTRIC ENTERPRISE CO.,LTD.
3-3.WIRE	DDNYU/2UEW / 130°C.	PACIFIC ELECTRIC WIRE & CABLE CO. UL NO.E84081.
3-4.VARNISH	VIKING V1630FS.	P D GEORGE / VIKING . UL NO.E60614




4.ELECTRICAL SPECIFICATION.

4-1.INDUCTANCE. 33mH. MIN @1 KHZ 0.25V HP-4284A.



4-2.D.C.RESISTANCE. 1.5Ω MAX.GOM-801G

CUSTOMER: RCS 烏克蘭		APPROVED BY: 
PART NO. UT20-03 (E03-17203336-02)	ISSUE: A	CHECKED BY: 
 	DATE: 2005.12.14.	DRAWN BY: 
	力英電子股份有限公司 LI TONE ELECTRONICS CO., LTD. 台北縣三峽鎮介壽路1段311巷29號 NO. 29, LANE 311, JIE SOU RD., SEC 1. SANHSIA TOWN TAPEI HSIEN, TAIWAN R. O. C.	
		TEL: (02)2673-2512~6 FAX: 886-2-26710294 886-2-26736329

5.CONFIGURATION & DIMENSION.(UNIT:mm)



*MARKING : UT20-03
LTE YYWW

CUSTOMER: RCS 烏克蘭		APPROVED BY: 秋簡	
PART NO. UT20-03 (E03-17203336-02)		ISSUE: A	CHECKED BY: 月劉
DATE: 2005.12.14.		DRAWN BY: 若婷	
 		力英電子股份有限公司 LI TONE ELECTRONICS CO., LTD. 台北縣三峽鎮介壽路1段311巷29號 NO. 29, LANE 311, JIE SOU RD., SEC 1. SANHSIA TOWN TAIPEI HSIEN, TAIWAN R. O. C.	
		TEL: (02)2673-2512~6 FAX: 886-2-26710294 886-2-26736329	