



Model	XG-6673
Brand	sary
Product name	Magnetic lock
Size	73*66mm
Product weight	0.18
Product material	zinc alloy
Power-on time	500ms
Working voltage	DC 5V/12V
Working method	power on and open the door / power off, close the door and lock the door
Working humidity	-45°~60° (no freezing, no condensation)
Scope of application	all kinds of lattice cabinets, vending machines, filing cabinets, mobile phone cabinets, lockers, lockers, etc.

Product Description

1. Compact structure design, free up more space for lockers 2. Built-in micro switch contact signal feedback, life expectancy up to 100,000 times 3. Electromagnetic drive, support 5V/12V 4. The internal lock hook is made of powder metallurgy, which resists 50KG tensile force and will not damage and deform 5. Built-in high-strength spring compression bar, strengthen the elastic force of unlocking and opening the door 6. The SM2.54 connection terminal bears 20N pulling force without falling off 7. Different lock hooks are suitable for different locker designs, and customized services can be provided







Feedback line

Power Cord

Emergency manual switch device

SM2.54 connector wire

Zinc alloy housing; rust and corrosion resistant



High-strength metal shackle.
It can resist 50KG pulling force without damage and unlocking.

Patent number



Micro-switch contact signal feedback structure, lock that signal line conduction, unlock signal line open

Spring ejector design
Strengthen the elasticity of unlocking and opening the door

