

SPM series

INPUT VOLTAGE: 90-280V

OUTPUT VOLTAGE: 220V $\pm$ 10%

500VA-2000VA ▼

3000VA-10000VA ▼



- ☒ Over/Low Volt Protection
- ☒ Short Circuit & Over Load Protection
- ☒ 6Secs(short)/180Secs(long) Delay Protection
- ☒ Temperature Protection (Option)
- ☒ Over current Protection (Option)

AUTOMATIC VOLTAGE REGULATOR



Multiple colors can be customized

black

red

blue



◀ 1000VA-2000VA

3000VA-10KVA ▶



AUTOMATIC VOLTAGE REGULATOR



Product		SPM 500VA-2000VA	SPM 3000VA-5000VA	SPM 8000VA-10000VA
Input	voltage	AC 90-280V 5Relay		
	Phase	Single Phase		
	Frequency	50/60HZ		
Output	Voltage Range	AC 220V/110V+/-10%		
	Capacity	80%		
	Frequency	50/60HZ		
	Power Factor	95%		
Function	Cooling Type	No fan	FAN	
	Over/Low Volt Protection	Yes		
	Temperature Protection	115 degree temperature sensor		
	Digital Display	Show input and output voltage		
	Delaying	6Secs(short)/180Secs(long)		
	Short Circuit& Over Load	FUSE	MCB	
Acoustic	Noise Level	≤50dB		
Environmental	Temperature	-5 -60 Degree		
	Humidity	20% to 90%		